



SPC FLOORING

STOCK COLOR






SPC FLOOR STRUCTURE DIAGRAM

(4.0MM THICKNESS)

- 1 **Double UV coating**
Wear-resistant, high-temperature resistant, antifouling
- 2 **Wear-resistant layer**
Protect the floor decor texture from wear for a long time
- 3 **Color film**
Clear color film image, natural and smooth texture lines
- 4 **SPC core**
Ensure that the floor size is stable and not easy to deform



SPC FLOOR STRUCTURE DIAGRAM

(5.0MM THICKNESS)

- 1 **Double UV coating**
Wear-resistant, high-temperature resistant, antifouling
- 2 **Wear-resistant layer**
Protect the floor decor texture from wear for a long time
- 3 **Color film**
Clear color film image, natural and smooth texture lines
- 4 **SPC core**
Ensure that the floor size is stable and not easy to deform
- 5 **Equilibrium layer**
Stable performance, preventing floor tile from changing



■ ADVANTAGES OF FLOORING ■



Flame retardant



Formaldehyde Free



100% Waterproof



Easy To Install



Wear Resistant



Easy To Clean



Anti-Slippery



Pet Scratch Prevention



Reduce Noise

01

4.0MM THICKNESS STOCK COLOR

Size: 1220mm*180mm Thickness:4.0mm



Color model

HD805



Color model

HD818



Color model

HD823



Color model

HD827



Color model

HD821



Color model

HD806



Color model

HD801



Color model

HD817

Size: 1220mm*180mm

Thickness: 4.0mm



Color model

HD815



Color model

HD822



Color model

HD826



Color model

HD825

Size: 1220mm*180mm

Thickness: 4.0mm



Color model

HD809



Color model

HD813



Color model

HD819



Color model

HD812

Size: 1220mm*180mm

Thickness: 4.0mm

02

5.0MM THICKNESS STOCK COLOR

Size: 1220mm*180mm Thickness:5.0mm



Color model

D05



Color model

D01



Color model

D02



Color model

D03



Color model

D06



Color model

D09



Color model

D08



Color model

D10

Size: 1220mm*180mm

Thickness: 5.0mm