




Decks * Fences * Cladding * Wall Panel *Ceiling *Pergola *Benches * Flooring *Landscape Products





Suprotect Series

Suprotect decking is a new generation of wood plastic composite with high-tech co-extrusion technology. Different from traditional WPC, co-extrusion technology is a process in which a protective layer of polymer and an inner WPC layer are co-extruded at the same time with high temperature. We also call it co-extrusion or capped decking.

The inner layer is made of high-density recycled plastic and wood fiber. The patented polymer plastic is used in the outer coating to enhance the resistance. Plus 3D wood grain and professional color matching, both of the quality and appearance are better than the composite decking.



Advantage



High-tech plastic for outer layer 360 degree protection



3D and natural wood texture



Excellent UV resistance



Better anti-scratch and wearing resistance



Stain-proofing and fast cleaning



Slip resistance



100% Eco & recyclable material

Decking Model



Optional Colors



Surface Treatments







Back:Brush

Fire Resistance Decking

In order to meet the market demand, we have developed Suprotect Fire Resistant Decking.

It is new for the whole WPC market. It is not simply about adding additives, we must make sure basic performances are not affected at the same time.In 2016 we made a significant breakthrough on the research. After testing, our new fire-resistant products can pass the E84 level A and the EN13501 Bf1-S1 fire resistance.(The test report is on the Page 6)


















Fire Resistance Test




3D Embossing Decking

New Production Technique


Compared to the traditional WPC products, 3D embossing product will have a more natural visual appearance and more realistic wood grain texture. 3D embossing decking doesn't need the extra treatment, it can finish the embossing during the extrusion.

Long-termed Durability

The 3D embossing wood grain is much deeper than normal embossing and it can keep long-lasting texture against abrasion during the applications



3D Embossing Decking Model




Optional Colors




Surface Treatments







Back:Brush



Suprotect Decking Tile



300x300mm

- Advanced co-extrusion Technique
- · Easy installation and disassembling
- DIY according to your home design
- · Matching color for decking boards and plastic base
- Baby playground-no harmful elements to your beloved

Excellent structure:

color for the aluminum frame, which is better hiding.

Elegant Design: 600*600mm module, this design is more suitable for the quick installation of small gardens or small projects, and looks elega**r**

Good flexibility:

Aluminum frame

WPC board

It can be equipped with the pedestal for installation. It has good flexibility for the ground that needs to be raised.

600 mm

Back Side

Optional Colors







Teak




Coffee

Color Options

Front Side: 3D Wood Grain



Hickory



Slate Grey

Surface Treatments




3D Wood Grain



Back


13

600 mm






Composite Decking



Decking Model



Optional Colors



Surface Treatments



Decking Installation Guide

Installation Material



WPC decking panel

Installation Fittings







Screws



Side clip




Patented Clip - Easy installation and more stable decking system

Installation Steps


1.Install aluminium joist system

Model	Span A(mm)	Span B(mm)
SB03	350	
ML02	400	700
OR02	450	

- ①Refer to the spacing table to lay two layers of joist.
- * Fix the upper joists to the lower ones by using screws.




2.①Fix the side clips onto the joists first.②Push the deck board tight to the side clips.Suggested length for actual application is not longer than 2.75 meters per piece.




- 3. ①Put the special clip with a side hole into the middle of the decking side groove.
- ②Make sure the toothed side into the decking groove
- ③Screw through the side hole and fix the clip to decking board.



- 4. ①Put the normal clips for the rest. Make sure the toothed side to the groove.
- ②Slide another board to the clips to the right position.
- ③Fix the decking through the top holes of the clips.



- 5. Repeat the steps above for the decking installation.
- ②Make sure the gap between cross sections of decking boards no less than 3mm.
- ③Make sure 10mm gaps to the walls for the expansion or contract.



6. Predrill a hole like the pic shown below and then screw the decking board to the joist.2 Fix the fascias. Job finished.



Base Adjustable Pedestal System

Our Base Adjustable Pedestal System is an innovative design, mainly used to solve the problems of installing decking on uneven ground, and raising the whole decking system. It's widely used in swimming pools, gardens, rooftop, etc.

11 STATION

MexyBase system has been receiving constant praise since its launch in 2016.

Advantage:

- Hiding the water tube, gauge, cable, etc.
- Meeting the demand of load bearing.
- Raising for water draining to protect decking.
- DIY assemble
- Various adjustable heights
- Fast installation to save time and labor
- Free maintenance
- Patented design

Adjustable Pedestal Main joist Connecting coupler Supporting base Mounting head Joist connector

Fix circle


binnerman bannana


Easy Installation

Patented design

Smart Design

DIY Aluminum Joist System





1.Adjust the height of the pedestal for actual application, then place them at site according to the reasonable span.





2.Snap the aluminum joists into the pedestal tabs. This smart design can save a lot of time without using screws to lock the joist tight.






3. Insert the joist conmector into the two ends of joists. Slide the joist through the gap to the right position. Rotate 90 degree to build the frame structure tight.



4. The last step is to fix the deck boards onto the joists frame structure according to the installation guide. Because of no screws application and the rotation method to build the frame, less labor cost and time is required by using our design.

The Enhanced Aluminum Joist System


- Stable double structure prevents it from changing and moving.
- The aluminum structure is fixed by screws.
- Antioxidant , no rusty or corrosive.



Pedestal Specification

MPD 01	26-40MM	
MPD 02	39-65MM	+ =
MPD 03	60-87MM	+ = =
MPD 04	83-133MM	+ + = =
MPD 05	128-178MM	+ 🔷 + 🍮 = 🛎
MPD-B	160-260MM	+ + + = =
MPD-C	190-320MM	+ 🗘 + 🎩 = 🧵
MPD-E	270-380MM	+ + + = =
MPD-G	355-460MM	+ O _{×2} + = =
MPD-I	380-550MM	+ O _{×3} + O _{×2} + O =
MPD-J	450-610MM	+ O _{×3} + O _{×2} + O =
MPD-L	500-740MM	+ O _{×4} + N _{×3} + N _{×3} =
MBS 01	Slope Corrector 0-5°	





Product Features

Durable for Outdoor Application-Stable and anti-UV in any temperatures.

Easy Installation-Just few screws for the fence installation. The smart design makes the fence DIY become possible.

Eco-friendly - MecoFence is made of recyclable materials. It doesn't contain harmful elements or heavy metals.

Confident Warranty- MecoFence offers 10 years warranty

Patented Designs - Unique fencing system and pass wind resistance













Privacy Fence



Mid-Trellis Fence





CF01 180×24mm




CF02 90×24mm



SPACER

Full-Trellis Fence






CF02 90×24mm




SPACER

Woven Fence






MF04 140×11mm



Vertial Alu Tube 76×25mm

Lattice Fence






CF01 180×24mm



MIDDLE RAIL



Carving Fence





CF01 180×24mm



CF02 $90 \times 24 mm$

Optional carving styles



Fence Panel Colors

Fence Standard Size: W1800*H1800mm W1800*H1150mm

Aluminum Frame Colors



Teak



Coffee



Dark Grey





Black

Accessories



POST



RAIL



COVER




FOR RAIL





POST BASE

POST CAP





Excellent UV resistance



Insect resistance - anti termite



Outer layer

Easy cleaning and low maintenance. water-proof and oil-proof



100% Eco & recyclable material

Optional Colors







Teak







IPE

Walnut


Antique

Ashwood Dar

Dark Grey


32

Basement Instruction



Side cover

Bracket for rail



Aluminum

Realgres Fence have a comple t e system. Each detail has been fully considered including conc rete ground installation.

We added the design of post base which would not break the original ground structure, but make it easier to install, and customers have a better experience.



Black



Fence Light



FL02

Rail

Post



FL01



FL03

33

Post cap

WPC board

Fence Gate

Double Gate

Standard Gate



- · Accessories replaced easily
- · After the improvement, the structure is solid and reasonable
- · Variety of styles and flexibility
- · Can be customized





Sliding Electric Gate









Privacy Fence



Mid-trellis Fence



Full-trellis Fence



Mid-trellis Fence











Composite Wood Wall Cladding



WP03 145×21mm



Optional Colors



Dark Grey

Dark

Chocolate



Coffee

Coffee





Teak

Surface Treatments



WG1

WG2



Sanding

Optional Colors

SP-WP01

138×12mm







SP-WP03

156×21mm





Ashwood

SP-WP11

224×25mm





Surface Treatments



Brush

Aluminum Accessories



















MT30S30



 $30 \times 30 mm$



MT60H40



 $60 \times 40 mm$






90×40mm



MT100H50



100×50mm



MT90H90



90×90mm




MT50H50



50×50mm



AU01



 $90 \times 23 mm$



MT90H40



MT70H70



70×70mm



AU02



Optional Colors



Dark Grey



Dark Chocolate



Dark Coffee



Coffee



Mahogany




Teak


Surface Treatments




Sanding

Simple Installation Drawing












Indoor Wall Panel

Indoor wall panel is a special product developed for interior decoration. Lightweighting product, elegant appearance easy installation main are 3 features of this product. Because of the water-proofing and easy cleaning, our indoor wall panel can used in offices, hotels, houses, but also in natatoriums, bath room and 45 kitchens, etc.






EC05



120×8mm



EM07



250×12mm





MW01



159×10mm




MW02



 $204{\times}16\text{mm}$




MW05



192×34mm



MW04



202×30mm



MW08

148×15mm

Accessories




Optional Colors



Installation Guide

External Corner

Detail demo



Internal Corner








47


Complete demo



Eco-wood ceiling series perfect substitution of ceiling and aluminium real simple installation, ceiling. good thermal insulation and fire resistance it make outstanding other among Nowadays, traditional ceilings. MexyTech ceiling series eco becomes more and more popular in the world because of its excellent features.




Ceiling Model



Optional Colors






Pergola Series

- -100% Natural apperance
- -Minimum maintainance
- -Customization accpeted
- -Free design service
- -24H7D technical team support
- -All accessories included





S Type



Bevel Type




Flat Type






Style1



Style2





MB01 L1500*W530*H420mm



MB03 L1500*W430*H400mm



MB02 L1500*W610*H780mm




MB04 L1500*W510*H750mm





Product Structure



100% No worries or cost on cleaning and maintenance. Stain resistance, uv-resistance, waterproofing.

At least 25% harder surface. Perfect protection on authentic colors and embossing.

100% Natural appearance. Multiple pattern choices of natural wood or stones for your own house decoration.

Prevent expansion and contraction due to temperature or humidity.

Better sound absorption and exellent underfoot feeling.

Optional Colors



Garden Box

Outdoor Furniture





Gazebo





Other Landscape Series

WPC Handrail





Garden Fence







Profile List

