






OUTDOOR WALL LAMP

Outdoor wall lamp



YY8029

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8029	D160*W45*H200	20W	1700LM
YY8029-Sense	D160*W45*H200	20W	1700LM



YY8072

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8072S	D165*W65*H65	6W	510LM
YY8072M	D220*W65*H65	10W	850LM
YY8072B	D356*H65*H65	15W	1280LM

Outdoor wall lamp



YY8030

Size(mm)	D160*H200
Voltage	220V
Power	15W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1280LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8031

Size(mm)	D160*H200
Voltage	220V
Power	15W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1280LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8032

Size(mm)	D160*H200
Voltage	220V
Power	15W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1280LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8034S

Size(mm)	D130*H160
Voltage	220V
Power	7W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	600LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8034B

Size(mm)	D130*H240
Voltage	220V
Power	14W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1190LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8022

Size(mm)	D160*W45*H200
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminium+Glass
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8085

Size(mm)	D75*W65*H140
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminium+Glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8039

Size(mm)	D90*W75*H120
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8074

Size(mm)	D85*W65*H85
Voltage	220V
Power	5W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	430LM
CRI	85
Fixture Material	Aluminium+Glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8180

Size(mm)	D200*H100
Voltage	220V
Power	24W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Black/White
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8172


Size(mm)	D158*W120*H425
Voltage	220V
Power	40W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	3400LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8173

Size(mm)	D158*W120*H425
Voltage	220V
Power	40W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	3400LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8175

Size(mm)	D86*H200
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	680LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8026-6W


Size(mm)	D61*H46
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8026-12W

Size(mm)	D71*H52
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY2006

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY2006-400	L400*W80*H40	12W	1020LM
YY2006-600	L600*W80*H40	20W	1700LM
YY2006-800	L800*W80*H40	24W	2040LM
YY2006-1200	L1200*W80*H40	38W	3230LM
YY2006-1500	L1500*W80*H40	45W	3825LM
YY2006-2400	L2400*W80*H40	70W	5950LM



YY2007

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY2007-300	L300*W80*H40	12W	1020LM
YY2007-600	L600*W80*H40	20W	1700LM
YY2007-800	L800*W80*H40	25W	2125LM
YY2007-1000	L1000*W80*H40	32W	2720LM
YY2007-1200	L1200*W80*H40	40W	3570LM
YY2007-1500	L1500*W80*H40	48W	4080LM
YY2007-2000	L2000*W80*H40	65W	5525LM

Outdoor wall lamp



YY8071

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black/Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8071S	D150*W55*H40	13W	1110LM
YY8071M	D195*W70*H45	20W	1700LM
YY8071B	D248*W85*H55	29W	2470LM



YY8167

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8167	D290*W90*H100	18W	510LM
YY8167-Sense	D290*W90*H100	18W	510LM

Outdoor wall lamp



YY8090YH

Size(mm)	D68*W80*H152
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	550LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8090FX

Size(mm)	D68*W80*H152
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	550LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8236

Size(mm)	D160*H200
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black+Gold/White+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8050

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8050S	D180*W30	12W	1020LM
YY8050M	D230*W40	15W	1280LM
YY8050B	D280*W50	18W	1530LM



YY8051

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)


	Size(mm)	Power	Luminous Flux
YY8051S	D130*W30	12W	1020LM
YY8051M	D180*W40	15W	1280LM
YY8051B	D230*W50	18W	1530LM

Outdoor wall lamp



YY8152

Size(mm)	D125*W70*H260
Voltage	220V
Power	18W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1530LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8153

Size(mm)	D125*W70*H260
Voltage	220V
Power	18W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1530LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8154

Size(mm)	D125*W70*H260
Voltage	220V
Power	18W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1530LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8194

Size(mm)	D125*W70*H260
Voltage	220V
Power	18W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1530LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8195

Size(mm)	D125*W70*H260
Voltage	220V
Power	18W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1530LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8189


Size(mm)	D115*H190
Voltage	220V
Power	20W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Aluminium+Glass
Fixture Color/Finish	Black+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8010

Size(mm)	L100*W100*H100
Voltage	220V
Power	7W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	650LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8010-B

Size(mm)	D134*W100*H100
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1150LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8077

Size(mm)	D125*W63*H221
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8176-1

Size(mm)	D65*H110
Voltage	220V
Power	4W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	340LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8176-2

Size(mm)	D120*H100
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	680LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8176-3

Size(mm)	D175*H100
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8176-4

Size(mm)	D231*H100
Voltage	220V
Power	16W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1360LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY9017

Size(mm)	D90*W85*H90
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black+Gold/White+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8059D

Size(mm)	D150*H260
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8059R

Size(mm)	D150*H260
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8192

Size(mm)	D88*H240
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8018

Size(mm)	D200*W100*H100
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8076

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black+Gold/White+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8076S	D70*W60*H150	6W	510LM
YY8076B	D95*W70*H200	12W	1020LM



YY8033

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8033	L125*W125*H260	18W	1530LM
YY8033-Sensor	L125*W125*H260	18W	1530LM

Outdoor wall lamp



YY8099S

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8099S	L110*W100*H260	18W	1530LM
YY8099S-Sensor	L110*W100*H260	18W	1530LM



YY8099B

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8099B	L130*W100*H385	40W	3400LM
YY8099B-Sensor	L130*W100*H385	40W	3400LM

Outdoor wall lamp



YY9016D

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY9016D	D130*W130*H137	12W	1020LM
YY9016D-Sense	D130*W130*H137	12W	1020LM



YY9016R

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY9016R	D130*H137	12W	1020LM
YY9016R-Sense	D130*H137	12W	1020LM

Outdoor wall lamp



YY8083-2

Size(mm)	D100*W35*H100
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8083-4

Size(mm)	D100*W35*H100
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



OWL-YY8178

Size(mm)	D100*H200
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	680LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	White/Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8066

Size(mm)	D130*H185
Voltage	220V
Power	10W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	850LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8096F

Size(mm)	L190*W160*H160
Voltage	220V
Power	16W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1360LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY9018

Size(mm)	D60*W45*H327
Voltage	220V
Power	18W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1530LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8096

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8096S	L260*W120*H120	18W	1530LM
YY8096B	L300*W140*H140	30W	2550LM



YY8097

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8097S	D125*W125*H260	18W	1530LM
YY8097B	D140*W140*H300	30W	2550LM

Outdoor wall lamp



YY8106

Size(mm)	D130*H220
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8211-3

Size(mm)	L170*W40*80
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	550LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8211-4

Size(mm)	L230*W50*H90
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	750LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY909

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+tempered glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY909-90	D90*H260	2*6W	1100LM
YY909-108	D108*H300	2*9W	1750LM



YY8177

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black/Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8177S	D167*H182	12W	1020LM
YY8177M	D222*H242	18W	1530LM
YY8177B	D277*H302	24W	2040LM

Outdoor wall lamp



YY901

Size(mm)	D108*H123
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	680LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8060-BC

Size(mm)	D300*H100
Voltage	220V
Power	24W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8060-SGH

Size(mm)	D300*H100
Voltage	220V
Power	24W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8002

Size(mm)	D275*H75
Voltage	220V
Power	24W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8011

Size(mm)	D275*H75
Voltage	220V
Power	24W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8014

Size(mm)	D275*H75
Voltage	220V
Power	24W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	2040LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8078

Size(mm)	D155*W40*H80
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8028

Size(mm)	D205*W65*H50
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY9015

Size(mm)	D67*H157
Voltage	220V
Power	6W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	510LM
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8095-1

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8095-1S	D160*W100*H80	10W	850LM
YY8095-1B	D260*W100*H80	20W	1700LM



YY8095-2

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8095-2S	D160*W100*H80	10W	850LM
YY8095-2B	D260*W100*H80	20W	1700LM

Outdoor wall lamp



YY8210

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum
Fixture Color/Finish	White/Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8210-6	D35*H120*W60	6W	510LM
YY8210-12	D37*H167*W64	12W	1020LM
YY8210-18	D66*H168*W65	18W	1530LM



YY8107D

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8107D-15W	D160*W160	15W	1280LM
YY8107D-20W	D160*W160	20W	1700LM


Outdoor wall lamp



YY8107D

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8107R-15W	D170*W102	15W	1280LM
YY8107R-20W	D170*W102	20W	1700LM



YY8035

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8035	D100*H200	10W	850LM

Outdoor wall lamp



YY8037

Size(mm)	D90*H260
Voltage	220V
Power	10W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	850LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8049

Size(mm)	D100*H200
Voltage	220V
Power	10W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	850LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8185-Y

Size(mm)	D97*H179
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Outdoor wall lamp



YY8185-TY

Size(mm)	D97*H179
Voltage	220V
Power	12W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1020LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8043-1

Size(mm)	D160*W35
Voltage	220V
Power	15W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1280LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8043-2

Size(mm)	D160*W35
Voltage	220V
Power	15W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1280LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



PILLAR LAMP

Pillar lamp



PL-YY8056

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
PL-YY8056S	D133*H85	10W	850LM
PL-YY8056B	D170*H120	15W	1280LM



PL-YY8054

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
PL-YY8054S	D133*W133*H85	10W	850LM
PL-YY8054B	D160*W160*H120	15W	1280LM

Pillar lamp



PL-YY9011

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
PL-YY9011-8W	D165*H255	8W	680LM
PL-YY9011-12W	D220*H310	12W	1020LM
PL-YY9011-18W	D285*H370	18W	1530LM
PL-YY9011-24W	D340*H440	24W	2040LM
PL-YY9011-30W	D400*H490	30W	2550LM



PL-YY8057

Voltage	220V
Color Temperature (K)	3000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	\
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
PL-YY8057S	D133*H95	10W	850LM
PL-YY8057B	D170*H133	15W	1280LM

Pillar lamp



PL-YY8053

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
PL-YY8053S	D133*W133*H115	10W	850LM
PL-YY8053B	D160*W160*H155	15W	1280LM



PL-YY8115

Solar panel voltage	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	67
Working pattern	light control + remote control + time control
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)
Woking time	2-3 rainy days, 12H(optional)

Model	Size(mm)	Power	Solar panel voltage
PL-YY8115M-Solar Energy	D165*H240	12W	2V
PL-YY8115B-Solar Energy	D220*H330	18W	4V

Pillar lamp



YY8110S

Size(mm)	L220*W220*H270
Voltage	220V
Power	16W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1550LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	67
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8114M

Size(mm)	L220*W220*H105
Voltage	220V
Power	15W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1450LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	67
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8114B

Size(mm)	L270*W270*H130
Voltage	220V
Power	20W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	1700LM
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	67
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Pillar lamp



YY8141

Solar panel voltage	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	67
Working pattern	light control + remote control + time control
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)
Woking time	2-3 rainy days, 12H(optional)

Model	Size(mm)	Power	Solar panel voltage
YY8141S-Solar Energy	D148*H190	10W	3V
YY8141B-Solar Energy	D218*H270	20W	6V



YY8142



Solar panel voltage	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+Acrylic
Fixture Color/Finish	Black+White
IP code	67
Working pattern	light control + remote control + time control
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)
Woking time	2-3 rainy days, 12H(optional)

Model	Size(mm)	Power	Solar panel voltage
YY8142	D150*H200	10W	3V



LAWN LAMP

Lawn lamp



YY210701A

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY210701A-F	L203*W96*H600	12W	1020LM
YY210701A-Y	L203*W96*H600	12W	1020LM



YY8099

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8099-1	D120*H600	10W	850LM
YY8099-2	D120*H600	20W	1700LM



Lawn lamp



YY8132

Voltage	12V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8132-5W	D120*W120*H200	5W	420LM
YY8132-10W	D120*W120*H400	10W	850LM
YY8132-15W	D120*W120*H600	15W	1280LM
YY8132-18W	D120*W120*H800	18W	1530LM




YY8136

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8136-10W	D150*H400	10W	850LM
YY8136-15W	D150*H600	15W	1280LM
YY8136-18W	D150*H800	18W	1530LM

Lawn lamp



YY8139

Voltage	12V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black+Gold/Black+White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8139-300	D250*H300	12W	1020LM
YY8139-600	D250*H600	12W	1020LM
YY8139-800	D250*H800	12W	1020LM



YY8217

Voltage	12V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	White+Gold
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8217-650	D25*H650	1W	85LM
YY8217-820	D25*H820	1W	85LM
YY8217-1000	D25*H1000	1W	85LM
YY8217-1400	D25*H1400	1W	85LM

Lawn lamp



YY89103

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY89103-300	L160*W55*H300	12W	1020LM
YY89103-600	L160*W55*H600	12W	1020LM
YY89103-800	L160*W55*H800	12W	1020LM



YY89104

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY89104-300	D108*H300	9W	765LM
YY89104-600	D108*H600	9W	765LM
YY89104-800	D108*H800	9W	765LM

Lawn lamp



YY9011

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY9011-8	D165*H600	8W	680LM
YY9011-12	D220*H600	12W	1020LM
YY9011-18	D285*H800	18W	1530LM
YY9011-24	D340*H1000	24W	2040LM
YY9011-30	D400*H1000	30W	2550LM



YY8133

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8133-30	D50*W50*H295	7W	600LM
YY8133-60	D50*W50*H600	10W	850LM
YY8133-80	D50*W50*H800	12W	1020LM

Lawn lamp



YY8137

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8137-R30	D100*H300	5W	430LM
YY8137-R40	D100*H400	10W	850LM
YY8137-R60	D100*H600	15W	1270LM
YY8137-R80	D100*H800	18W	1530LM
YY8137-D30	D100*W100*H300	5W	430LM
YY8137-D40	D100*W100*H400	10W	850LM
YY8137-D60	D100*W100*H600	15W	1270LM
YY8137-D80	D100*W100*H800	18W	1530LM




YY8168

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8168	D290*H600	10W	850LM
YY8168-Sensor	D290*H600	10W	850LM

Lawn lamp



YY8130

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8130-5W	D160*W55*H200	5W	420LM
YY8130-10W	D160*W55*H400	10W	850LM
YY8130-15W	D160*W55*H600	15W	1280LM
YY8130-18W	D160*W55*H800	18W	1530LM



YY8135

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8135-5W	D160*W55*H200	5W	420LM
YY8135-10W	D160*W55*H400	10W	850LM
YY8135-15W	D160*W55*H600	15W	1280LM
YY8135-18W	D160*W55*H800	18W	1530LM

Lawn lamp



YY89102

Size(mm)	D90*H600
Voltage	220V
Power	10W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	850LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



LL-YY909

Size(mm)	D150*H595
Voltage	220V
Power	10W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	850LM
CRI	85
Fixture Material	Aluminium+Acrylic
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



FOOTLIGHT


Footlight



YY8221

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8221-10-1	D100*H33	3W	260LM
YY8221-12-1	D120*H37	3W	260LM
YY8221-15-1	D150*H43	4W	340LM



YY8221

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8221-12-2	D120*H37	6W	510LM
YY8221-15-2	D150*H43	8W	680LM

Footlight



YY8221-15-4

Size(mm)	D150*H43
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	680LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8052

Size(mm)	D145*H70
Cut Out(mm)	L140*W65*H55
Voltage	220V
Power	5W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	430LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	\
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8058

Size(mm)	D65*H210
Cut Out(mm)	L62*H205*W57
Voltage	220V
Power	8W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	680LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black+White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Footlight



YY8058H

Size(mm)	D210*H65
Cut Out(mm)	L60*H200*W55
Voltage	220V
Power	5W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	430LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YYD711


Size(mm)	D110*H35
Voltage	220V
Power	3W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	255LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY8086-3W

Size(mm)	D85*H85
Cut Out(mm)	L72*W72*W50
Voltage	220V
Power	3W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	250LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Footlight



YY8086-3W-Sense

Size(mm)	D85*H85
Cut Out(mm)	L72*W72*W50
Voltage	220V
Power	3W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	250LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YY690Y

Size(mm)	Φ85*H50
Cut Out(mm)	Φ80*H45
Voltage	220V
Power	3W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	255LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	White/Black/Grey
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)



YYD706

Size(mm)	Φ87*H75
Cut Out(mm)	Φ82*H70
Voltage	220V
Power	3W
Color Temperature (K)	3000K/4000K/6000K
Luminous Flux	255LM
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	White/Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Footlight



YY709

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminium
Fixture Color/Finish	Black/White
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY709S	L117*W117*H33	6W	510LM
YY709B	L200*W200*H33	12W	1020LM





BURIED LAMP

Buried lamp



YY8200

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Stainless steel+tempered glass
Fixture Color/Finish	Silver+Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Cut Out(mm)	Power	Luminous Flux
YY8200-3W	D100*H90	D85	3W	260LM
YY8200-6W	D120*H90	D115	6W	510LM
YY8200-9W	D160*H95	D145	9W	770LM
YY8200-12W	D160*H90	D145	12W	1020LM
YY8200-15W	D180*H95	D160	15W	1270LM
YY8200-18W	D200*H95	D185	18W	1530LM



YY8200C

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Stainless steel+tempered glass
Fixture Color/Finish	Silver+Black
IP code	68
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Cut Out(mm)	Power	Luminous Flux
YY8200C-3	L200*W80*H55	L195*W75*H50	3W	255LM
YY8200C-12	L600*W90*H75	L585*W80*H70	12W	1020LM
YY8200C-24	L1000*W90*H75	L990*W80*H70	24W	2040LM

Buried lamp



YY8193

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Stainless steel+Glass
Fixture Color/Finish	Black+Silver
IP code	68
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Cut Out(mm)	Power	Luminous Flux
YY8193-20W	D200*H170	190	20W	1700LM
YY8193-30W	D250*H170	240	30W	2550LM



YY8201

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Stainless steel+tempered glass
Fixture Color/Finish	Silver+Black
IP code	68
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Cut Out(mm)	Power	Luminous Flux
YY8201-12W	D175*H125	D155	12W	1020LM
YY8201-24W	D210*H170	D200	24W	2040LM




YY8170

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+tempered glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8170-3W	D145*H350	3W	250LM
YY8170-6W	D145*H360	6W	510LM
YY8170-9W	D258*H420	9W	770LM
YY8170-12W	D258*H440	12W	1020LM
YY8170-18W	D250*H440	18W	1530LM

Ground spotlight



YY8117

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+tempered glass
Fixture Color/Finish	Grey
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8117-10W	D100*H305	10W	850LM
YY8117-20W	D110*H335	20W	1700LM
YY8117-30W	D125*H405	30W	2550LM



YY8171

Voltage	220V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+tempered glass
Fixture Color/Finish	Grey
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8171-6W	D125*H180	6W	410LM
YY8171-9W	D155*H200	9W	770LM
YY8171-12W	D155*H200	12W	1020LM
YY8171-15W	D185*H200	15W	1280LM
YY8171-18W	D185*H200	18W	1530LM



UNDERWATER LAMP



YY9999

Voltage	12V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	PC
Fixture Color/Finish	White
IP code	68
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY9999-6	D180*H48	6W	510LM
YY9999-12	D230*H48	12W	1020LM
YY9999-18	D300*H70	18W	1530LM

Underwater lamp



YY8197

Voltage	12V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Stainless steel+tempered glass
Fixture Color/Finish	Silver
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8197-3W	D80*H140	3W	260LM
YY8197-6W	D120*H140	6W	510LM
YY8197-9W	D140*H180	9W	770LM
YY8197-12W	D160*H180	12W	1020LM
YY8197-18W	D190*H210	18W	1530LM



YY8196

Voltage	12V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Stainless steel+tempered glass
Fixture Color/Finish	Silver
IP code	65
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8196-6W	D130*H80	6W	510LM
YY8196-9W	D160*H90	9W	770LM
YY8196-12W	D180*H90	12W	1020LM
YY8196-18W	D200*H90	18W	1530LM



LED WALL WASHER



YY8700

Voltage	24V
Color Temperature (K)	3000K/4000K/6000K
CRI	85
Fixture Material	Aluminum+tempered glass
Fixture Color/Finish	Silver Gray
IP code	68
Average Lifetime	20000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE/SAA/UL
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
YY8700-300	L300*W38*H25	6W	510LM
YY8700-600	L600*W38*H25	12W	1020LM
YY8700-1000	L1000*W38*H25	18W	1530LM



STREET LAMP

Street lamp



AX-LX

Voltage	100-265V
Color Temperature (K)	6000K
CRI	70
Fixture Material	Aluminum+Tempered Glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-LX-50W	L425*W173*H75	50W	5000LM
AX-LX-100W	L506*W212*H75	100W	10000LM
AX-LX-150W	L602*W227*H77.5	150W	15000LM
AX-LX-200W	L656*W242*H72	200W	20000LM
AX-LX-250W	L816*W301*H81.5	250W	25000LM
AX-LX-300W	L816*W301*H81.5	300W	30000LM



AX-FD

Voltage	100-265V
Color Temperature (K)	6000K
CRI	70
Fixture Material	Aluminum+PC
Fixture Color/Finish	Grey
IP code	65
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-FD-100W	L500*W160*H83	100W	11000LM
AX-FD-150W	L636.6*W211*H83	150W	16500LM
AX-FD-200W	L675*W255*H83	200W	22000LM
AX-FD-250W	L783*W260*H83	250W	27500LM

Street lan



STREET LAMP

Solar street lamp



AX-YY-001

Solar panel voltage	6V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+PC
Fixture Color/Finish	Grey
IP code	65
Working time	2--3 rainy days
Working pattern	Light Sensor + Time Control + Remote Control
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	\
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Solar Panel Size	Power	Solar Panel Power
AX-YY-001-100W	L550*W288*H130	L500*W280*H40	100W	25W
AX-YY-001-200W	L660*W332*H130	L605*W323*H40	200W	35W
AX-YY-001-300W	L855*W350*H155	L850*W340*H40	300W	50W



AX-YY-001B

Solar panel voltage	6V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+PC
Fixture Color/Finish	Grey
IP code	67
Working time	12H(optional) 2--3 rainy days
Working pattern	light control + remote control + time control
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	\
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Solar Panel Size	Power	Solar Panel Power
AX-YY-001B-100W	L493*W213*H52	L350xW300*H17	100W	15W
AX-YY-001B-200W	L493*W213*H52	L350xW450*H17	200W	24W
AX-YY-001B-300W	L603*W252*H60	L350xW600*H17	300W	35W



FLOODLIGHT

Floodlight



AX-XC

Voltage	100-265V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+PC
Fixture Color/Finish	Black
IP code	65
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-XC-100W	L230*W25*H195	100W	10000LM
AX-XC-150W	L255*W25*H206	150W	15000LM
AX-XC-200W	L295*W25*H315	200W	20000LM



AX-XG

Voltage	180-265V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+Tempered Glass
Fixture Color/Finish	Black
IP code	65
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-XG-100W	L245*W55*H295	100W	10000LM
AX-XG-150W	L275*W60*H330	150W	15000LM
AX-XG-200W	L330*W65*H380	200W	20000LM
AX-XG-300W	L395*W65*H440	300W	30000LM



SOLAR FLOODLIGHT

Solar floodlight



AX-TYN-TGD-XY

Solar panel voltage	6V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+PC
Fixture Color/Finish	Grey
IP code	65
Working time	2-3 rainy days
Working pattern	Light Sensor + Time Control + Remote Control
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	\
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Solar Panel Size	Power	Solar Panel Power
AX-TYN-TGD-XY-100W	L210*W210*H38	L235*W350*H17	100W	15W
AX-TYN-TGD-XY-200W	L233*W238*H43	L350*W350*H17	200W	20W
AX-TYN-TGD-XY-300W	L274*W261*H44	L350*W450*H17	300W	25W
AX-TYN-TGD-XY-400W	L330*W310*H45	L700*W350*H17	400W	12W



AX-SF-YT

Solar panel voltage	6V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+Glass
Fixture Color/Finish	Black
IP code	65
Working time	12H when fully charged
Working pattern	Light sensor + Remote control
Average Lifetime	30000-Hours
Installation Mode	Outdoor Installation
Customizable Certificate	\
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Solar Panel Size	Power	Solar Panel Power
AX-SF-YT-25W	L192*W145*H45	L180*H270	25W	7W
AX-SF-YT-40W	L192*W145*H45	L350*H230	40W	8W
AX-SF-YT-60W	L225*W182*H48	L350*H290	60W	12W
AX-SF-YT-120W	L257*W210*H62	L350*H350	120W	15W
AX-SF-YT-150W	L305*W255*H73	L350*H530	150W	25W
AX-SF-YT-200W	L332*W270*H75	L350*H670	200W	30W
AX-SF-YT-300W	L332*W270*H75	L350*H700	300W	40W



HIGH BAY LIGHT

High bay light



AX-UFO-H

Voltage	100-265V
Color Temperature (K)	6000K
CRI	80
Fixture Material	Aluminum+PC
Fixture Color/Finish	Black
IP code	65
Average Lifetime	30000-Hours
Installation Mode	Hanging Mounting
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-UFO-H-100W	Φ255*H73	100W	10000LM
AX-UFO-H-150W	Φ295*H73	150W	15000LM
AX-UFO-H-200W	Φ358*H76	200W	20000LM



AX-HB-QP

Voltage	85-265V
Color Temperature (K)	6000K
CRI	70
Fixture Material	Aluminum
Fixture Color/Finish	Silver
IP code	44
Average Lifetime	30000-Hours
Installation Mode	Hanging Mounting
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-HB-QP-100W	Φ410*H305	100W	12000LM
AX-HB-QP-150W	Φ410*H305	150W	18000LM
AX-HB-QP-200W	Φ450*H313	200W	24000LM
AX-HB-QP-300W	Φ500*H325	300W	36000LM

High bay light



AX-JUFO

Voltage	100-265V
Color Temperature (K)	6000K
CRI	70
Fixture Material	Aluminum+PC
Fixture Color/Finish	Black
IP code	65
Average Lifetime	30000-Hours
Installation Mode	Hanging Mounting
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-JUFO-100W	Φ291*H156	100W	12000LM
AX-JUFO-150W	Φ335*H165	150W	18000LM
AX-JUFO-200W	Φ380*H173	200W	24000LM



AX-HB-HG

Voltage	100-265V
Color Temperature (K)	6000K
CRI	70
Fixture Material	Aluminum
Fixture Color/Finish	Grey
IP code	44
Average Lifetime	30000-Hours
Installation Mode	Hanging Mounting
Customizable Certificate	CE
Warranty	5 Year Limited (residential), 1 Year Limited (commercial)

Model	Size(mm)	Power	Luminous Flux
AX-HB-HG-100W	Φ212*H101	100W	10000LM
AX-HB-HG-150W	Φ245*H102	150W	15000LM
AX-HB-HG-200W	Φ271*H107	200W	20000LM