


STAIRCASE AND RAILING



CATALOG Staircase & Railing

A Staircase

- Straight staircase 03-22
- Floating staircase 23-28
- Spiral staircase 29-34
- Curved staircase 35-42
- Glass staircase 43-46



Canada



Norway



Ireland



UK



Luxembourg



Germany

Israel



USA



Brazil



South Africa

etherlands

India

B Railing

- Aluminum U channel base 47-56
- Standoff glass railing 69-74
- Cable railing 81-84
- Aluminum railing 91-96
- Laser cutting 101-104
- WPC 111-113
- Spigot glass railing 57-68
- Glass baluster railing 75-80
- Rod railing 85-90
- Wrought iron 97-100
- Aluminum slat fence 105-110
- PVC railing 114-116



China (Mainland)

Japan



Hong Kong

Korea



Australia



How to measure the staircase dimension?

Well width(W):deciding step length

Well length(L):deciding the shape of staircase


Beam thickness(A):deciding the fixing position

Floor height(H):deciding step height and step quantity

Step height(R)

Step depth(D)

Step width(B)



Straight Staircase



Reference Specification:

Floor height: 2625mm

Step width: 1010mm

Center beam thickness: 6mm

Riser: 187.5mm

Component

Stair beam: 200*100*6mm/150*150*6mm carbon steelsus304, sus316 satin/mirror finish.


Tread support: 38*38mm tube; 6mm tread plate carbon steel sus304, sus316 satin/mirror finish.

Tread: Carbon steel; stainless steel, solid wood; Glass.



Baluster: Diameter 50.8mm baluster carbon steelsus304, sus316 satin/mirror finish.


Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood

Railing: Glass; carbon steel; stainless steel



Central Beam Straight Staircase







PR-L006



PR-L007



PR-L010




PR-L011



PR-L008



PR-L009




PR-L012



PR-L013




PR-L014



PR-L015



PR-L016





PR-L017

Double Stringer Straight Staircase



Technical Data
Floor height: 4200mm
Step width: 1250mm
Center beam thickness: 6mm
Riser: 155.6mm

Component
Stair beam: 300*6+300*6mm carbon steel . powder coated finish
Tread support: 6mm bend plate carbon steel . powder coated finish
Tread: 20mm White marble with cover board
Baluster: 6+1.52+6mm tempered clear glass panel
Handrail: 40*40mm 304 sus U channel top handrail. electroplate gold color







PR-L018



PR-L019




PR-L020



PR-L021



PR-L022



PR-L023



PR-L024



PR-L025




PR-L026



Straight Staircase







Floor to floor height=2750mm, Step Width=1000mm, Riser=171.9mm, step=13pcs+2pcs platform			
Staircase stringer	Carbon steel	60*40*3mm main tube +40*40*3mm tube+20*20*2mm	galvanized+baking color
Tread support		8mm thickness carbon steel tread support plate	
Staircase tread	Slolid white oak wood	18mm thick marble stone steps	Painting(can adjust the color)
Staircase single side railing (height=1100mm)	Handrail	Dia40mm round white oak timber solid wood handrail	Painting(can adjust the color)
	LED light	Built In LED Light switch controlled	warm color
	Tempered glass	12mm tempered glass panel, polish edges with glass clamps connections	clear
Including all the accessories			





Outdoor Staircase







Floating Staircase



PR-F001





PR-F002



PR-F003



Reference Specification
Floor height: 3000mm
Step width: 1000mm
Center beam thickness: 10mm
Riser: 187.5mm

Component
Stair Beam: 350*100*10mm carbon steel , sus304, sus316 satin/mirror finish
Tread support: 40*40*5mm /50*50*5mm tube carbon steel, sus304, sus316 satin/mirror finish
Tread: Carbon steel, stainless steel, solid wood, Glass.
Handrail: Diameter 50.8mm carbon steel, stainless steel, PVC, wood
Railing: Glass, carbon steel, stainless steel



A ELEVATION

Glass Floating Staircase



Wood Floating Staircase




Modern Design Cable Railing Floating Staircase For Villa



PR-F012




PR-F013



PR-F014




Spiral Staircase



Technical Data:

- Floor height: 2997mm
- Step width: 661mm
- Center beam thickness: 4mm
- Diameter: min1300
- Riser: 150-200mm



Component



- Stair beam:** 114*4mm/76*4mm carbon steel .sus304,sus316 satin/mirror finish
- Tread:** Carbon steel; stainless steel, solid wood; Glass.
- Tread support:** 38mm;25mm round tube carbon steel .sus304,sus316 satin/mirror finish
- Baluster:** Diameter 25mm/38mm/50.8mmbaluster carbon steel .sus304,sus316 satin/mirror finish
- Handrail:** Diameter 50.8mm carbon steel; stainless steel; PVC; wood
- Rod:** 8mm solid rod,12.7mm rod, carbon steel .sus304, sus316 satin/mirror finish





- Technical Data**
- Floor height: 4150mm
- Step width: 700mm
- Riser: 180mm

Component

- Stair beam:** dia 102*6/110*5mm carbon steel . powder coated finish
- Tread:** 15mm Laser cut carbon steel sheet with cover , powder coated finish
- Baluster:** dia 25*1.2mm carbon steel small post, powder coated finish
- Handrail:** 57*13mm carbon steel plate top handrail. powder coated finish














Curved Staircase




Technical Data:
Floor height: 3467mm
Step width: 1000mm
Center beam thickness: 6mm
Riser: 188.8mm

Component
Stair beam: 300*6+300*6mm carbon steel .sus304, sus316 satin/mirror finish
Tread support: 40*40*5mm; 50*50*5mm; 6mm/5mm bend plate carbon steel .sus304, sus316 satin/mirror finish
Tread: Carbon steel; stainless steel, solid wood; Glass.
Baluster: Diameter 50.8mm baluster carbon steel .sus304, sus316 satin/mirror finish
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood
Rod: 8mm solid rod, 12.7mm rod, carbon steel .sus304, sus316 satin/mirror finish







PR-C010






PR-C014




Glass Curved Staircase



PR-C015




PR-C016



PR-C017



PR-C018




PR-C019

Glass Staircase




Technical Data:
 floor to floor height: 3477mm,
 width: 1200mm,
 riser: 117mm,
 step: 31pcs+1Landing

Component:
 Staircase Tread: 12+1.9+12+1.9+12MM frosted tempered glass
 Balustrade: 12+3.04+12+3.04+12MM clear tempered glass
 Standoff | glass clamp | custom-made: custom-made




B ELEVATION


Hardware accessories are 316 S.S materials



Tempered Glass




Etch Dots glass



Frosted Glass




Master Carre Glass



PR-G001



PR-G004



PR-G005



PR-G002



PR-G003



PR-G006



PR-G007



PR-G008




Prima Railing


■ Glass Railing with Aluminum U Channel Base



62 & 70.5 U channel




For Glass 10-15mm thick
PAU 001-A




For Glass 19-24mm thick
PAU 001-B



Structure of product





45 U channel





For 12mm to 6+1.52+6mm tempered laminated glass
PAU 002




Installation Method





Other Designs




For 12mm to 15mm tempered glass




For 12mm to 19mm tempered glass



For 12mm to 6+1.52+6mm tempered laminated glass



For 17mm to 24mm tempered glass



For 10mm to 15mm tempered glass



PRR-U004



PRR-U006



PRR-U005









PRR-U007



PRR-U008

Color Options





■ Spigot Glass Railing



Round Spigot
Dia42 x H160mm



PRS 001



PRS-S001



PRR-S002




PRR-S003


Square Spigot
Size 40 x 40 x 160mm
Size 50 x 50 x 200mm



PRS 002



PRS-S005



PRS-S004







PRS-S006

For Swimming Pool



Self-closing door lock





Other designs



PRR 003



PRR 004



PRR 005




PRR 006






PRR 007



PRR 008









Glass Clamp





Standoff Glass Railing








PRR-P009



PRR-P010






PRR-P012



PRR-P011



PRR-P013








■ Glass Baluster Railing

Round Baluster



Square Baluster



Commercial glass balustrade

PRB-S12
Material:304#
Finish:SSS、PSS、PVD

Format	Size			
	A	B	C	D
	930	200	495	235

PRB-S11
Material:304#
Finish:SSS、PSS、PVD

Format	Size			
	A	B	C	D
	930	200	495	235

PRB-S15
Material:304#
Finish:SSS、PSS、PVD

Format	Size			
	A	B	C	D
	1000	189	700	



PRR-B014





PRR-B015



PRR-B016



Cable Railing



Fastener&Tool



PFW-01



PFW-02



PFW-03



PFW-04



PFW-05



Hydraulic crimper



PRR-C007



PRR-C010



PRR-C008



PRR-C009







PRR-C011



PRR-C012


Rod Railing






Glass

● Tempered Glass




● Frosted Glass




● Tinted Glass




Fort blue glass



Euro bronze glass



Gold bronze glass



Green glass

Handrail Options



PRH-W01



PRH-W02



PRH-W03



PRH-W04



PRH-W05



PRH-W06



PRH-W07



PRH-S01



PRH-S02



PRH-S03



PRH-S04

Handrail Fittings



PRH-01



PRH-02



PRH-03



PRH-04



PRH-05



PRH-06



PRH-07



PRH-08



PRH-09



PRH-10



PRH-11



PRH-12



PRH-13



PRH-14



PRH-15



PRH-16



PRH-17







PRH-18







PRH-19



■ Aluminum Railing



Aluminum Glass Railing





PRR-A010



PRR-A013




PRR-A014






PRR-A011







PRR-A012





Wrought Iron









Laser Cutting









■ Aluminum Slat Fence







■ WPC





PRR-W009



PRR-W010



PRR-W011



PRR-W012



PRR-W013

PVC Railing



PRR-P001




PRR-P002



PRR-P003



Project Gallary
Residences Le Sommet de
Port Balustrade Projects(Haiti)



Canada

● Glass Railing with Aluminum U Channel Base




● Glass Railing With Baluster Glass Clamp



● Railing




● Staright staircase



USA


● Staircase



● Railing



● Glass Railing with Aluminum U Channel Base



Australia

● Staright staircase



● Staright staircase



● Double staircase



● Floating saircase



● Spigot glass railing



● Glass Railing



UK

● Floating staircase



Sweden

- Glass Railing with Spigot



Netherlands Antilles

- Spigot glass railing



Fiji

- Glass Railing



Norway

- Glass Railing with Spigot
- Glass Railing with Aluminum Channel



Switzerland

- Glass Railin with Baluster



Seychelles

- Glass Railing with Aluminum Channel



Saudi arabia

- Glass Railing with Spigot




Cayman Islands

● Staircase




● Railing



Puerto rico

● Central beam staircase



Saint martin

● Staircase



Puerto rico

● Central beam staircase



Turks & Caicos islands

● Spigot glass railing





Virgin islands





● Stainless steel railing





■ Trial Assembly for Staircases














PRODUCTS

